

SUNSONG CATALOG



Brief Introduction

SUNSONG is the exclusive brand registered in 2009 by Beijing Shenghe Zhongtai Stainless Steel Co.,Ltd. We commit to stainless steel production, processing, distribution, installation as one of the diversified, full process services, and we determined to build the pioneer brand of Stainless Steel Brand in China--“SUNSONG”

we have built our manufacturing base of Hebei Shengnuo Metal Products Co.,Ltd In Hebei province which is the biggest manufacturing base for Stainless steel surface treatment in North of China.

A large production base of SUNSONG is located at Langfang Yongqing Industry Park, the CBD area of “Integrated region of Beijing-Tianjin-Hebei”, near G3 Highway and driving 40 minutes to Beijing. The factory covers an area of more than 16000 square meters, introduces advanced equipments such as Hairline, PVD, Supper Mirror, Bead Blasted, Vibration, Cross Hairline, AFP and so on as the surface treatment production lines, and advanced machines such as Flying shear machine, CNC shearing machine, V-groove machine, Bending and Laser cutting machines, provides full-service of stainless steel processing.

After more than ten years of development, SUNSONG has formed a technical and management team with orderly division of labor, close cooperation, high quality and efficiency. The company has more than 150 employees, the core management team has been employed for more than 10 years on average, and more than 30 technical backbones have been employed for 10 years on average. SUNSONG people constantly improve the system, optimize the management, strengthen the training, standardize and process the working mode, which not only ensures the high effective, but also reduces the error rate. SUNSONG strives to be your first choice.



BEAD BLASTED STAINLESS STEEL SHEET

*This kind of **Bead Blasted** Silver Decoration Sheet is widely used in interior and exterior building decoration and elevator decoration. We could do many treatment on the bead blasted surface such as etching, PVD and so on. The surface would be different and welcomed by customers. Bead blasted finish also could be done together with other artwork process like vibration, Hairline, part PVD, part Mirror, etc.*

●Gold Rose



Surface Finish: Bead Blasted

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Bead.Blasted/Gold.Rose/304/1219X2438X1.0/100PCS.....PRICE/PC

●Black



Surface Finish: Bead Blasted

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Bead.Blasted/Black/304/1219X2438X1.0/100PCS.....PRICE/PC

●Brown



Surface Finish: Bead Blasted

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Bead.Blasted/Brown/304/1219X2
438X1.0/100PCS.....PRICE/PC

●Bronze



Surface Finish: Bead Blasted

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Bead.Blasted/Bronze/304/1219X2
438X1.0/100PCS.....PRICE/PC

●Champagne



Surface Finish: Bead Blasted

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Bead.Blasted/Champagne/304/12
19X2438X1.0/100PCS.....PRICE/PC

●SS Black



Surface Finish: Bead Blasted

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Bead.Blasted/SS.Black/304/1219X
2438X1.0/100PCS.....PRICE/PC

●Brass



Surface Finish: Bead Blasted

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Bead.Blasted/Brass/304/1219X24
38X1.0/100PCS.....PRICE/PC

●Gold



Surface Finish: Bead Blasted

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Bead.Blasted/Gold/304/1219X243
8X1.0/100PCS.....PRICE/PC

CROSS HAIRLINE STAINLESS STEEL SHEET

*The **Cross** surface is often used in public facilities, kiosks, indoor and outdoor decoration and elevator decoration. We could do many treatment on the embossed surface such as PVD and part PVD.*

●Gold Rose



Surface Finish: Cross Hairline

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Cross.Hairline/Gold.Rose/304/1219X2438X1.0/100PCS.....PRICE/PC

●Black



Surface Finish: Cross Hairline

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Cross.Hairline/Black/304/1219X2438X1.0/100PCS.....PRICE/PC

●Brown



Surface Finish:Cross Hairline

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Cross.Hairline/Brown/304/1219X
2438X1.0/100PCS.....PRICE/PC

●Bronze



Surface Finish: Cross Hairline

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Cross.Hairline/Bronze/304/1219X
2438X1.0/100PCS.....PRICE/PC

●Champagne



Surface Finish: Cross Hairline

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Cross.Hairline/Champagne/304/1
219X2438X1.0/100PCS.....PRICE/PC

●SS Black



Surface Finish: Cross Hairline

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Cross.Hairline/SS.Black/304/1219
X2438X1.0/100PCS.....PRICE/PC

●Brass



Surface Finish: Cross Hairline

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Cross.Hairline/Brass/304/1219X2
438X1.0/100PCS.....PRICE/PC

●Gold



Surface Finish: Cross Hairline

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Cross.Hairline/Gold/304/1219X24
38X1.0/100PCS.....PRICE/PC

HAIRLINE STAINLESS STEEL SHEET

Hairline surface is neat and beautiful which widely used into kinds of outside decoration of buildings and elevator decoration. We could do many treatment on the Hairline surface such as etching, PVD and so on. The surface would be different and welcomed by customers. Hairline finish also could be done together with other artwork process like bead blasted, vibration, part PVD, part Mirror, etc.

●Gold Rose



Surface Finish: Hairline

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Hairline/Gold.Rose/304/1219X2438X1.0/100PCS.....PRICE/PC

●Black



Surface Finish: Hairline

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Hairline/Black/304/1219X2438X1.0/100PCS.....PRICE/PC

●Brown



Surface Finish: Hairline

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Hairline/Brown/304/1219X2438X
1.0/100PCS.....PRICE/PC

●Bronze



Surface Finish: Hairline

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Hairline/Bronze/304/1219X2438X
1.0/100PCS.....PRICE/PC

●Champagne



Surface Finish: Hairline

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Hairline/Champagne/304/1219X2
438X1.0/100PCS.....PRICE/PC

●SS Black



Surface Finish: Hairline

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Hairline/SS.Black/304/1219X243
8X1.0/100PCS.....PRICE/PC

●Brass



Surface Finish: Hairline

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Hairline/Brass/304/1219X2438X1.
0/100PCS.....PRICE/PC

●Gold



Surface Finish: Hairline

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Hairline/Gold/304/1219X2438X1.
0/100PCS.....PRICE/PC

MIRROR STAINLESS STEEL SHEET

*The supper **Mirror** stainless steel sheet is polished from stainless steel cold rolled sheet. The sheet would get a certain degree of gloss and bright surface through the process of our mirror polishing production line and manual grinding equipment finishing. And the surface of the plate is without any scratches, bending marks and deformation,etc.*

●Gold Rose



Surface Finish: Mirror

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Mirror/Gold.Rose/304/1219X2438
X1.0/100PCS.....PRICE/PC

●Black



Surface Finish: Mirror

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Mirror/Black/304/1219X2438X1.0
/100PCS.....PRICE/PC

●Brown



Surface Finish: Mirror

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Mirror/Brown/304/1219X2438X1.
0/100PCS.....PRICE/PC

●Bronze



Surface Finish: Mirror

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Mirror/Bronze/304/1219X2438X1.
0/100PCS.....PRICE/PC

●Champagne



Surface Finish: Mirror

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Mirror/Champagne/304/1219X24
38X1.0/100PCS.....PRICE/PC

●SS Black



Surface Finish: Mirror

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Mirror/SS.Black/304/1219X2438X

1.0/100PCS.....PRICE/PC

●Brass



Surface Finish: Mirror

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Mirror/Brass/304/1219X2438X1.0

/100PCS.....PRICE/PC

●Gold



Surface Finish: Mirror

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Mirror/Gold/304/1219X2438X1.0

/100PCS.....PRICE/PC

SATIN STAINLESS STEEL SHEET

The **Satin** surface is evenly distributed with short slender lines which finished by our oil Hairline production line, and the surface of the sheet is bright. Our standard Satin spec is 150#, we also do the 60#, 120#, 180#, 240#, 320# if customer request. Satin finish also could be done together with other artwork process like bead blasted, vibration, part PVD, part Mirror, etc.

●Gold Rose



Surface Finish: Satin

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Satin/Gold.Rose/304/1219X2438X
1.0/100PCS.....PRICE/PC

●Black



Surface Finish: Satin

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Satin/Black/304/1219X2438X1.0/
100PCS.....PRICE/PC

●Brown



Surface Finish: Satin

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Satin/Brown/304/1219X2438X1.0
/100PCS.....PRICE/PC

●Bronze



Surface Finish: Satin

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Satin/Bronze/304/1219X2438X1.0
/100PCS.....PRICE/PC

●Champagne



Surface Finish: Satin

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Satin/Champagne/304/1219X2438X1.0/100PCS.....PRICE/PC

●SS Black



Surface Finish: Satin

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Satin/SS.Black/304/1219X2438X1.0/100PCS.....PRICE/PC

●Brass



Surface Finish: Satin

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Satin/Brass/304/1219X2438X1.0/100PCS.....PRICE/PC

●Gold



Surface Finish: Satin

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Satin/Gold/304/1219X2438X1.0/100PCS.....PRICE/PC

VIBRATION STAINLESS STEEL SHEET

Vibration is widely used in interior and exterior building decoration and elevator decoration. We could do many treatment on the vibration surface such as etching, PVD and so on. The surface would be different and welcomed by customers. Vibration finish also could be done together with other artwork process like bead blasted, Hairline, part PVD, part Mirror, etc.

●Gold Rose



Surface Finish: Vibration

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Vibration/Gold.Rose/304/1219X2
438X1.0/100PCS.....PRICE/PC

●Black



Surface Finish: Vibration

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Vibration/Black/304/1219X2438X
1.0/100PCS.....PRICE/PC

●Brown



Surface Finish: Vibration

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Vibration/Brown/304/1219X2438
X1.0/100PCS.....PRICE/PC

●Bronze



Surface Finish: Vibration

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Vibration/Bronze/304/1219X2438
X1.0/100PCS.....PRICE/PC

●Champagne



Surface Finish: Vibration

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Vibration/Champagne/304/1219X
2438X1.0/100PCS.....PRICE/PC

●SS Black



Surface Finish: Vibration

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Vibration/SS.Black/304/1219X2438X1.0/100PCS.....PRICE/PC

●Brass



Surface Finish: Vibration

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Vibration/Brass/304/1219X2438X1.0/100PCS.....PRICE/PC

●Gold



Surface Finish: Vibration

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Vibration/Gold/304/1219X2438X1.0/100PCS.....PRICE/PC



Beijing Shenghe Zhongtai Stainless Steel Co.,Ltd

Room 309 Unit A, Dream Valley, 6th Road, Jinghai, Economic & Technological Development Zone,
Yizhuang, Beijing, China.100176

Production Base: No.7, Ronghua Road, Industrial Park, Yongqing Country, Hebei, China.

Website:www.sunsongss.com; Facebook:<https://www.facebook.com/sunsongss>

E-mail:Ella@sunsongss.com; Wechat&Whatsapp:0086 13581790576 Tel:0086 13581790576

E-mail:Lester@sunsongss.com; Wechat&Whatsapp&Tel: 0086 13910143374; 0086 13241543270

