

SUNSONG CATALOG

Brief Introduction

SUNSONG is the exclusive brand registered in 2009 by Beijing Shenghe Zhongtai Stainless Steel Co.,Ltd. We commit to stainless steel production, processing, distribution, installation as one of the diversified, full process services, and we determined to build the pioneer brand of Stainless Steel Brand in China--“SUNSONG”

we have built our manufacturing base of Hebei Shengnuo Metal Products Co.,Ltd In Hebei province which is the biggest manufacturing base for Stainless steel surface treatment in North of China.

A large production base of SUNSONG is located at Langfang Yongqing Industry Park, the CBD area of “Integrated region of Beijing-Tianjin-Hebei”, near G3 Highway and driving 40 minutes to Beijing. The factory covers an area of more than 16000 square meters, introduces advanced equipments such as Hairline, PVD, Supper Mirror, Bead Blasted, Vibration, Cross Hairline, AFP and so on as the surface treatment production lines, and advanced machines such as Flying shear machine, CNC shearing machine, V-groove machine, Bending and Laser cutting machines, provides full-service of stainless steel processing.

After more than ten years of development, SUNSONG has formed a technical and management team with orderly division of labor, close cooperation, high quality and efficiency. The company has more than 150 employees, the core management team has been employed for more than 10 years on average, and more than 30 technical backbones have been employed for 10 years on average. SUNSONG people constantly improve the system, optimize the management, strengthen the training, standardize and process the working mode, which not only ensures the high effective, but also reduces the error rate. SUNSONG strives to be your first choice.



EMBOSSSED STAINLESS STEEL SHEET

Embossed surface is often used in public facilities, kiosks, indoor and outdoor decoration and elevator decoration. We could do many treatment on the embossed surface such as PVD and part PVD.

●SS18S



Surface Finish: Embossed

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Embossed/Gold.Rose/304/1219X2
438X1.0/100PCS.....PRICE/PC

●SS18T



Surface Finish: Embossed

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Embossed/Black/304/1219X2438
X1.0/100PCS.....PRICE/PC

●SS18U



Surface Finish: Embossed

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Embossed/Brown/304/1219X2438
X1.0/100PCS.....PRICE/PC

●SS18V



Surface Finish: Embossed

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Embossed/Bronze/304/1219X243
8X1.0/100PCS.....PRICE/PC

●SS18W



Surface Finish: Embossed

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Embossed/Champagne/304/1219
X2438X1.0/100PCS.....PRICE/PC

●SS18X



Surface Finish: Embossed

Material Thick: 0.5 to 3.0mm

Material Width: ≤ 1500mm, ≤ 2000mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

1500/1524x2438mm(5ftx8ft),

1500/1524x3048(5ftx10ft)

Purchase sample:

Embossed/SS.Black/304/1219X24
38X1.0/100PCS.....PRICE/PC

ETCHING STAINLESS STEEL SHEET

*This kind of **Etching** stainless steel sheet is widely used in interior and exterior building decoration and elevator decoration. We could do many treatment on the etching surface such as bead blasted, PVD, part PVD and so on. The surface would be different and welcomed by customers. Etching finish also could be done together with other artwork process like vibration, Hairline, part PVD, bead blasted, etc.*

●SS18A



Surface Finish: Mirror Etching

Material Thick: 0.7 to 3.0mm

Material Width: ≤ 1250mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

Purchase sample:

Etching/Gold.Rose/304/1219X2438

X1. 0/100PCS.....PRICE/PC

●SS18B



Surface Finish: Hairline Etching

Material Thick: 0.7 to 3.0mm

Material Width: ≤ 1250mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

Purchase sample:

Hairline Etching/Black/304/

1219X2438X1.0/100PCS.....PRICE/PC

●SS18C



Surface Finish: Cross Hairline Etching

Material Thick: 0.7 to 3.0mm

Material Width: ≤ 1250mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

Purchase sample:

Cross Hairline Etching/Black/304/
1219X2438X1.0/100PCS.....PRICE/PC

●SS18D



Surface Finish: Vibration Etching

Material Thick: 0.7 to 3.0mm

Material Width: ≤ 1250mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

Purchase sample:

Vibration Etching/Black/304/1219X
2438X1.0/100PCS.....PRICE/PC

●SS18E



Surface Finish: Bead Blasted Etching

Material Thick: 0.7 to 3.0mm

Material Width: ≤ 1250mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

Purchase sample:

Cross Hairline Etching/Black/304/
1219X2438X1.0/100PCS.....PRICE/PC

●SS18F



Surface Finish: Satin Etching
Material Thick: 0.7 to 3.0mm
Material Width: ≤ 1250mm
Material Length: ≤ 6000mm
Standard Size:

1219x2438mm(4ftx8ft),
 1219x3048(4ftx10ft),

Purchase sample:

Satin Etching/Black/304/1219X2438
 X1.0/100PCS.....PRICE/PC

●SS18G



Surface Finish: Mirror Art Bead Blasted
Material Thick: 0.7 to 3.0mm
Material Width: ≤ 1250mm
Material Length: ≤ 6000mm
Standard Size:

1219x2438mm(4ftx8ft),
 1219x3048(4ftx10ft),

Purchase sample:

Mirror Art Bead Blasted/Black/304/
 1219X2438X1.0/100PCS.....PRICE/PC

●SS18H



Surface Finish: Mirror Art Bead Blasted
Material Thick: 0.7 to 3.0mm
Material Width: ≤ 1250mm
Material Length: ≤ 6000mm
Standard Size:

1219x2438mm(4ftx8ft),
 1219x3048(4ftx10ft),

Purchase sample:

Mirror Art Bead Blasted/Black/304/
 1219X2438X1.0/100PCS.....PRICE/PC

●SS18I



Surface Finish: Mirror Art Bead Blasted

Material Thick: 0.7 to 3.0mm

Material Width: ≤ 1250mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

Purchase sample:

Mirror Art Bead Blasted/Black/304/

1219X2438X1.0/100PCS.....PRICE/PC

●SS18J



Surface Finish: Mirror Art Hairline

Material Thick: 0.7 to 3.0mm

Material Width: ≤ 1250mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

Purchase sample:

Mirror Art Hairline/Black/304/

1219X2438X1.0/100PCS.....PRICE/PC

●SS18K



Surface Finish: Mirror Art Hairline

Material Thick: 0.7 to 3.0mm

Material Width: ≤ 1250mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

Purchase sample:

Mirror Art Hairline/Black/304/

1219X2438X1.0/100PCS.....PRICE/PC

●SS18L



Surface Finish: Mirror Art Hairline

Material Thick: 0.7 to 3.0mm

Material Width: ≤ 1250mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

Purchase sample:

Mirror Art Hairline/Black/304/

1219X2438X1.0/100PCS.....PRICE/PC

●SS18M



Surface Finish: Satin Partly PVD AFP

Material Thick: 0.7 to 3.0mm

Material Width: ≤ 1250mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

Purchase sample:

Satin Partly PVD AFP/Black/304/

1219X2438X1.0/100PCS.....PRICE/PC

●SS18N



Surface Finish: Satin Partly PVD

Material Thick: 0.7 to 3.0mm

Material Width: ≤ 1250mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

Purchase sample:

Satin Partly PVD/Black/304/

1219X2438X1.0/100PCS.....PRICE/PC

●SS180



Surface Finish: Hairline Partly PVD AFP

Material Thick: 0.7 to 3.0mm

Material Width: ≤ 1250mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

Purchase sample:

Hairline Partly PVD AFP/Black/304/
1219X2438X1.0/100PCS.....PRICE/PC

●SS18P



Surface Finish: Cross Hairline Partly PVD AFP

Material Thick: 0.7 to 3.0mm

Material Width: ≤ 1250mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

Purchase sample:

Cross Hairline Partly PVD AFP/Black/304/
1219X2438X1.0/100PCS.....PRICE/PC

●SS18Q



Surface Finish: Vibration Partly PVD AFP

Material Thick: 0.7 to 3.0mm

Material Width: ≤ 1250mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

Purchase sample:

Vibration Partly PVD AFP /Black/304/
1219X2438X1.0/100PCS.....PRICE/PC

●SS18R



Surface Finish: Bead Blasted Partly PVD AFP

Material Thick: 0.7 to 3.0mm

Material Width: ≤ 1250mm

Material Length: ≤ 6000mm

Standard Size:

1219x2438mm(4ftx8ft),

1219x3048(4ftx10ft),

Purchase sample:

Bead Blasted Partly PVD AFP /Black/304/
1219X2438X1.0/100PCS.....PRICE/PC



Beijing Shenghe Zhongtai Stainless Steel Co.,Ltd
Room 309 Unit A, Dream Valley, 6th Road, Jinghai, Economic & Technological Development Zone,
Yizhuang, Beijing, China.100176
Production Base: No.7, Ronghua Road, Industrial Park, Yongqing Country, Hebei, China.
Website:www.sunsongss.com; Facebook:<https://www.facebook.com/sunsongss>
E-mail:Ella@sunsongss.com; Wechat&Whatsapp:0086 13581790576 Tel:0086 13581790576
E-mail:Lester@sunsongss.com; Wechat&Whatsapp&Tel: 0086 13910143374; 0086 13241543270

